


TEST SCHEDULE R 18	EN 1993-1-1: 2005 (EUROCODE 3)	Sargon ©, Cescoplus ©
RESISTANCE	BENDING - AXIS 3	EC3.RES.M3.001



Program: WEURO © version October 2007 for Sargon and Cescoplus
Keywords: EN 1993, Eurocode 3, example, validation, benchmark, reliability, quality control, error measure. **Parole chiave:** Eurocodice 3, esempio, validazione, test ,affidabilità, controllo di qualità, misura dell'errore
Tv=exploitation target value, **Cv=**exploitation computed value
Authors: Ing. Marco Croci, Ing. Paolo Rugarli

BEAM		
Length [mm]	Left end	Right end
1000	FREE	FIXED

LOAD		
Type	Value	Point of application
BENDING MOMENT M_3	$M=10.000.000\text{Nmm}$	LEFT END

MATERIAL S355						
f_y [N/mm ²]	f_u [N/mm ²]	E [N/mm ²]	ν	γ_{M0}	γ_{M1}	γ_{M2}
355	510	2,10E+05	0,3	1,1	1,1	1,25

CROSS SECTION		RHS 90x90x7x14	CLASS: M₃ → 1			
A [mm ²]	J_2 [mm ⁴]	J_3 [mm ⁴]	J_t [mm ⁴]	W_2 [mm ³]	W_3 [mm ³]	
2198	2,486e+06	2,486e+06	4,117e+06	5,525e+04	5,525e+04	
W_{pl2} [mm ³]	W_{pl3} [mm ³]	i_2 [mm]	i_3 [mm]	i_t [mm]		
6,699e+04	6,699e+04	33,63	33,63	0		
h	b	t	r			
90	90	7	14			

OTHER DATA					

TARGET VALUES BASED ON PRELIMINAR COMPUTATIONS

$$M_{pl,Rd} = W_{pl} \cdot f_y / \gamma_{M0}$$

$T_v = M / M_{pl,Rd}$
4,625E-01

CHECKER'S RESULTS (COMPUTED VALUES) AND COMPARISON WITH THE TARGET

C_v	$(C_v - T_v) / T_v$
4,625E-01	0,000E+00